


Duotone Setup and File Submission Instructions

Duotone printing utilizes grey and black ink to achieve a rich print with a wide tonal range, while maintaining a completely neutral black and white print. This printing process requires us to create separations for the press manually, which makes for a different workflow between you and Conveyor Arts. Unlike with other types of printing, you will need to provide us with a packaged INDD folder, rather than a PDF. Here are a few things to keep in mind as you're preparing to submit your project:


1. All files to be printed in duotone must be flattened 8-bit PSDs with an embedded grayscale ICC profile (We like Gray Gamma 2.2).
2. All files to be printed in duotone must be placed in a subfolder titled "duotone" within the "links" folder of your packaged Indesign file.




All files to be printed in duotone must be flattened 8-bit PSDs with an embedded grayscale ICC profile.

Image > Mode > Grayscale


Image > Mode > 8 Bits/Channel



Edit > Convert To Profile...




Select Gray Gamma 2.2 and click OK



Once you've finished laying out your book in InDesign, go to [File > Package...](#)

*Before making the final package, double check that all fonts are activated, and all links are connected.

Click [Package...](#)



Once you've packaged your book, In the Save As... dialogue window in Photoshop, navigate to your packaged InDesign file.

Save any images to be converted to Duotone within a "Duotone" subfolder, within your "Links".

Format > Photoshop (PSD)

Click Save.